



---

此藥為TNF阻斷劑，用於治療TNF阻斷劑過敏反應。TNF阻斷劑

**13.1.1**

此藥為TNF阻斷劑，用於治療TNF阻斷劑過敏反應。TNF阻斷劑

每劑 0.8mg/kg 每劑 50mg/每劑 2 劑 0.4mg/kg  
每劑 25mg/每劑 2 劑

此藥用於治療TNF阻斷劑過敏反應。

此藥用於治療TNF阻斷劑過敏反應。JIA  
此藥用於治療TNF阻斷劑過敏反應。

**13.1.2 Infliximab**

Infliximab 此藥用於治療TNF阻斷劑過敏反應。TNF阻斷劑

Infliximab 每劑 8 劑 1 劑 6mg/kg 此藥用於治療TNF阻斷劑過敏反應

此藥用於治療TNF阻斷劑過敏反應。3mg/kg/每劑

此藥用於治療TNF阻斷劑過敏反應。

Infliximab 此藥用於治療TNF阻斷劑過敏反應。TNF阻斷劑

**13.1.3**

此藥為TNF阻斷劑，用於治療TNF阻斷劑過敏反應。TNF阻斷劑

每劑 2 劑 1 劑 24mg/m2/每劑 40mg/每劑

此藥用於治療TNF阻斷劑過敏反應。

此藥用於治療TNF阻斷劑過敏反應。JIA  
A 此藥用於治療TNF阻斷劑過敏反應。

**13.2**

**13.2.1 Abatacept**

Abatacept 此藥用於治療TNF阻斷劑過敏反應。T 阻斷劑 CTL4Ig 阻斷劑

---

Abatacept 1-6mg/kg / Abatacept TNF

### 13.2.2 Anakinra

Anakinra IL-1 IL-1 cryopirin CAPS 1-2mg/kg 5mg/kg 100mg JIA 2 cryopirin CAPS

### 13.2.3 Canakinumab

Canakinumab 1 (IL1) cryopirin (CAPS) 1-4mg/kg cryopirin (CAPS)

### 13.2.4

6 IL6 JIA 15-30kg 8mg/kg 30kg 12mg/kg 30kg 8mg/kg 30kg 10mg/kg JIA ( )

### 13.3

---

rituximab (anti-CD20) tofacitinib (JAK-3 inhibitor) are used to treat rheumatoid arthritis. Rituximab is a monoclonal antibody that targets CD20 on B cells, leading to their depletion. Tofacitinib is a Janus kinase (JAK) inhibitor that blocks the JAK-STAT signaling pathway, which is involved in the inflammatory response.