
20mg/kg/40mg/kg/50mg/kg/2.4g/

2-14 2-3mg/kg/2-4 4mg/kg/200mg/

2 2 0.125 mg/kg 1 7.5mg/ 0.125 mg/kg/

2 2 10-25kg 50mg/ 25kg 100mg/ NSAIDs

1.3

NSAIDs NSAIDs NSAIDs NSAIDs H2 misoprostol NSAID NSAIDs NSAIDs

NSAIDs

1.4 NSAIDs

2. A

2.1

A

0.2mg/kg/10mg/

1000mg D

4.4

5.

5.1

DNA DNA

5.2

2-3mg/kg/150mg/

5.3

10 TPMT- 7 - 10 2 1

5.4 試驗結果

試驗結果
試驗結果

6 試驗

6.1 試驗

試驗結果
DNA
DNA

6.2 試驗

(1 - 2mg/kg/日) 試驗結果 (1 0.5
-1.0g/m² 6 3 2 500mg/m²/ 2 1 6)

6.3 試驗

試驗結果
試驗結果
試驗結果
試驗結果
試驗結果

6.4 試驗

試驗結果
試驗結果

7. 試驗

7.1 試驗

試驗結果

MTX

7.2

10 - 15mg/ (20mg/) 24 6-12

7.3

7.4

8. Leflunomide

8.1

Leflunomide JIA

Canakinumab 200 mg/100 mL cryopirin CAPS

13.2.3 Canakinumab

Canakinumab 1 (IL1) cryopirin (CAPS) 1/4 mg/kg/ cryopirin (CAPS) 1/4 mg/kg/ cryopirin (CAPS)

13.2.4

6 IL6 JIA 15 1 30kg 8mg/kg 30kg 12mg/kg 30kg 8mg/kg 30kg 10mg/kg JIA

13.3

rilonacept 1 (CD20) tofacitinib (JAK-3)

14.

PRCSG www.prcsg.org PRINTO PRCSG

PRINTO www.printo.it; www.printo.it/pediatric-rheumatology/home
PRCSG www.prcsg.org

□□□□□□□□:

www.clinicaltrialsregister.eu/

www.clinicaltrials.gov

□□□□□□□□□□□□

www.ema.europa.eu/ema/index.jsp?curl=pages/medicines/landing/pip_search.jsp&mid=WC0b01ac058001d129

□□□□□□□□:

www.ema.europa.eu

<http://labels.fda.gov> <http://labels.fda.gov>