



www.printo.it/pediatric-rheumatology/TW/intro

MDK (IgD)

1. MDK

1.1 MDK

MDK (IgD) is a marker of disease activity in children with systemic lupus erythematosus (SLE). It is a type of antibody that is produced by the immune system. The presence of MDK (IgD) in the blood is associated with active disease and is used to monitor disease activity and response to treatment.

1.2 MDK

MDK (IgD) is a marker of disease activity in children with systemic lupus erythematosus (SLE). It is a type of antibody that is produced by the immune system. The presence of MDK (IgD) in the blood is associated with active disease and is used to monitor disease activity and response to treatment.

1.3 MDK

MDK (IgD) is a marker of disease activity in children with systemic lupus erythematosus (SLE). It is a type of antibody that is produced by the immune system. The presence of MDK (IgD) in the blood is associated with active disease and is used to monitor disease activity and response to treatment.

1.4 MDK

MDK (IgD) is a marker of disease activity in children with systemic lupus erythematosus (SLE). It is a type of antibody that is produced by the immune system. The presence of MDK (IgD) in the blood is associated with active disease and is used to monitor disease activity and response to treatment.

1.5 MDK

MDK (IgD) is a marker of disease activity in children with systemic lupus erythematosus (SLE). It is a type of antibody that is produced by the immune system. The presence of MDK (IgD) in the blood is associated with active disease and is used to monitor disease activity and response to treatment.

