www.printo.it/pediatric-rheumatology/TW/intro

# 口腔炎、咽炎、淋巴結炎的週期性發熱，發帕症候群（**PFAPA**）

第? 版本

## **1.PFAPA**概述

### **1.1**什麼是**PFAPA**?

PFAPA發帕症候群是週期性發熱、口腔炎、咽炎、淋巴結炎的英文縮寫。該病主要特徵是反復發熱、頸部淋巴結腫大、咽喉痛和口腔潰瘍。PFAPA在兒童早期發病，通常在5歲之前起病。該病為慢性病程，但它為一種良性疾病，隨著時間延長病情會逐漸改善。該病在1987年首次得到認識，當時被稱為Marshall’s症候群。

### **1.2**本病常見嗎?

PFAPA的發病率尚不清楚，但該病看起來比普遍所認為的更常見。

### **1.3**本病的病因是什麼?

目前本病的病因尚不清楚。在發熱期間免疫系統被啟動，導致了發熱和口腔、咽喉的發炎反應。這種發炎反應是自限性的。在兩次發熱的間期沒有發炎表現，發作期間也沒有發現感染性病原體。

### **1.4**本病是否遺傳?

本病也有家族性病例報導，但至今沒有發現遺傳原因。

### **1.5**本病有傳染性嗎?

本病不是傳染性疾病，沒有傳染性。然而，感染可能是一種誘發因素。

### **1.6**主要症狀是什麼?

該病的主要症狀是反復發熱，伴有咽痛、口腔潰瘍或頸部淋巴結腫大（淋巴結是免疫系統的重要組成部分）。發熱突然出現，可持續3-6天。在發作期病童感覺十分不適，至少會出現上面提到的3個症狀之一。通常隔3-6周發作一次，有時週期非常規律。在發作間期，病

[illegible]

**1.7[illegible]**

[illegible]

## 2.[illegible]

**2.1[illegible]**

[illegible]PFAPA[illegible]

**2.2[illegible]**

[illegible]ESR[illegible]C-[illegible]CRP[illegible]

**2.3[illegible]/[illegible]**

[illegible]PFAPA[illegible]

**2.4[illegible]**

[illegible](acetaminophen)[illegible](NSAID)[illegible]

**2.5[illegible]**

[illegible]

**2.6[illegible]**

PFAPA[illegible]

## 3.[illegible]

**3.1**[illegible]

[illegible]

**3.2**[illegible]

[illegible]

**3.2**[illegible]

[illegible]

**3.4**[illegible]

[illegible]

**3.5**[illegible]

[illegible]

**3.6**[illegible]

[illegible]

**3.7**[illegible]

[illegible]