







---

DMARDs (Disease Modifying Antirheumatic Drugs) are used to slow the progression of RA and prevent joint damage.

### DMARDs (Disease Modifying Antirheumatic Drugs)

DMARDs are used to slow the progression of RA and prevent joint damage. They are classified into conventional DMARDs (cDMARDs) and biologic DMARDs (bDMARDs). SLE is a systemic autoimmune disease that can affect multiple organs.

### DMARDs (Disease Modifying Antirheumatic Drugs)

DMARDs are used to slow the progression of RA and prevent joint damage. They are classified into conventional DMARDs (cDMARDs) and biologic DMARDs (bDMARDs). SLE is a systemic autoimmune disease that can affect multiple organs. SLE is a systemic autoimmune disease that can affect multiple organs. SLE is a systemic autoimmune disease that can affect multiple organs.

## 2.5 NSAIDs?

NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs.

NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs.

NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs.

NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs.

NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs. NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs. NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs. NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs. NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs. NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs. NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs.

## 2.6 NSAIDs?

NSAIDs are used to relieve pain and inflammation in RA. They are not DMARDs.

