





---

SLE 24 (C3, C4) SLE X (ECG) (EEG) (MR)

**2.3**

SLE SLE SLE

**2.4**

SLE SLE SLE

**(NSAIDs)**

NSAIDs

SLE SLE SLE

SLE

/

---

DMARDs (Disease Modifying Antirheumatic Drugs) are used to treat rheumatoid arthritis and other autoimmune conditions.

### DMARDs (Disease Modifying Antirheumatic Drugs)

DMARDs are used to treat rheumatoid arthritis and other autoimmune conditions. They work by slowing down the disease process and preventing joint damage. SLE (Systemic Lupus Erythematosus) is an autoimmune condition that can affect various parts of the body.

### DMARDs (Disease Modifying Antirheumatic Drugs)

DMARDs are used to treat rheumatoid arthritis and other autoimmune conditions. B (B-cell) SLE is a type of SLE that affects B-cells. SLE (Systemic Lupus Erythematosus) is an autoimmune condition that can affect various parts of the body. SLE (Systemic Lupus Erythematosus) is an autoimmune condition that can affect various parts of the body.

## 2.5 NSAIDs?

NSAIDs (Non-steroidal anti-inflammatory drugs) are used to treat pain and inflammation.

NSAIDs (Non-steroidal anti-inflammatory drugs) are used to treat pain and inflammation.

NSAIDs (Non-steroidal anti-inflammatory drugs) are used to treat pain and inflammation.

NSAIDs (Non-steroidal anti-inflammatory drugs) are used to treat pain and inflammation.

NSAIDs (Non-steroidal anti-inflammatory drugs) are used to treat pain and inflammation. DMARDs (Disease Modifying Antirheumatic Drugs) are used to treat rheumatoid arthritis and other autoimmune conditions.

## 2.6 NSAIDs?

NSAIDs (Non-steroidal anti-inflammatory drugs) are used to treat pain and inflammation.

